

Sample Name: **707 Headband**  
Tested for: **Western Oregon Botanicals**  
**Compliance - Usable**

Laboratory ID: 19A0045-02

Matrix: Useable Marijuana

Sample Metrc ID: 1A40103000098BF000001371

Strain: 707 Headband

Lot # 12/20 Harvest

Date Sampled: 01/11/19 11:30

Batch RFID: 1A40103000098BF000001370

Date Accepted: 01/11/19

Batch Size: 2721.55 (g)

Results Valid Until: 01/11/20



### Potency Analysis

Date Extracted: 01/14/19

Analysis Method/SOP: Potency

Date Analyzed: 01/14/19

\* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
<b>Total THC</b> ((THCA*0.877)+d9)	23.03	230.3	0.03	
<b>Total CBD</b> ((CBDA*0.877)+CBD)	< LOQ	< LOQ	0.03	
d9-THC (d9-Tetrahydrocannabinol)*	0.47	4.7	0.05	
d8-THC (d8-Tetrahydrocannabinol)*	< LOQ	< LOQ	0.05	
THCA (d9-Tetrahydrocannabinolic Acid)*	25.73	257.3	0.07	
CBD (Cannabidiol)*	< LOQ	< LOQ	0.03	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.07	
CBN (Cannabinol)*	< LOQ	< LOQ	0.03	
CBG (Cannabigerol)*	0.17	1.7	0.05	
CBGA (Cannabigerolic Acid)	0.23	2.3	0.05	
CBDV (Cannabidivarin)*	< LOQ	< LOQ	0.05	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.05	
CBC (Cannabichromene)*	< LOQ	< LOQ	0.05	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.05	
<b>Total Cannabinoids</b>	26.60	266	0.03	

### Water Activity and Moisture

Analyte	Result	Limit	Units	LOQ	Analyzed	Method
Water Activity	0.486	0.65	AW	0.0300	01/15/2019	Water Activity
Percent Moisture	13.4	15	%	0.10	01/15/2019	Moisture

Cannabinoids reported as dry weight (moisture corrected)

Results above the action level are highlighted in red #.

<LOQ - Results below the Limit of Quantitation - Compound not detected

Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>707 Headband</b>	Date Sampled: <b>01/11/19 11:30</b>
Tested for: <b>Western Oregon Botanicals</b>	Date Accepted: <b>01/11/19</b>
<b>Compliance - Usable</b>	Results Valid Until: <b>01/11/20</b>
Laboratory ID: <b>19A0045-02</b> Strain: <b>707 Headband</b>	Sample Metrc ID: <b>1A40103000098BF000001371</b>
Matrix: <b>Useable Marijuana</b>	Batch RFID: <b>1A40103000098BF000001370</b>
Lot # <b>12/20 Harvest</b>	Batch Size: <b>2721.55 (g)</b>

**Terpene Analysis**

Date Extracted: 01/14/19      Analysis Method/SOP: Potency  
Date Analyzed: 01/14/19

Analyte	Result (%)	LOQ	Analyte	Result	LOQ
alpha Pinene	< LOQ	0.020	Myrcene	0.733	0.020
alpha Phellandrene	< LOQ	0.020	3-Carene	< LOQ	0.020
alpha Terpinene	< LOQ	0.020	Limonene	0.142	0.020
Terpinolene	< LOQ	0.020	Linalool	0.186	0.020
Fenchol	0.021	0.020	Borneol	< LOQ	0.020
Terpineol	0.026	0.020	Geraniol	0.055	0.020
alpha Humulene	0.080	0.020	beta Caryophyllene	0.252	0.020
Caryophyllene Oxide	0.023	0.020	alpha Bisabolol	0.022	0.020
Camphene	< LOQ	0.020	beta Pinene	0.044	0.020
Ocimene	< LOQ	0.020	Sabinene	< LOQ	0.020
Camphor	< LOQ	0.020	Isoborneol	< LOQ	0.020
Menthol	< LOQ	0.020	alpha Cedrene	< LOQ	0.020
Nerolidol	0.049	0.020	R-(+)-Pulegone	0.040	0.020
Eucalyptol	< LOQ	0.020	p-Cymene	< LOQ	0.020
(-)-Isopulegol	< LOQ	0.020	Geranyl Acetate	0.020	0.020
Guaiol	0.119	0.020	Valencene	0.082	0.020
Phytol	0.075	0.020	Citronellol	< LOQ	0.020
gamma-Terpinene	< LOQ	0.020			
			<b>Total Terpenes</b>	<b>1.968 %</b>	

<LOQ - Results below the Limit of Quantitation - Compound not detected  
Terpene Analysis is not ORELAP Accredited.




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: <b>707 Headband</b>	Date Sampled: <b>01/11/19 11:30</b>
Tested for: <b>Western Oregon Botanicals</b>	Date Accepted: <b>01/11/19 16:54</b>
<b>Compliance - Usable</b>	Results Valid Until: <b>01/11/20</b>
Laboratory ID: <b>19A0045-02</b>	Matrix: <b>Useable Marijuana</b>
Client/Metric ID: <b>1A40103000098BF000001371</b>	

### Terpene Profile




Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **707 Headband** Date Sampled: **01/11/19 11:30**  
 Tested for: **Western Oregon Botanicals** Date Accepted: **01/11/19**  
**Compliance - Usable** Results Valid Until: **01/11/20**

Laboratory ID: **19A0045-02** Strain: **707 Headband** Sample Metrc ID: **1A40103000098BF000001371**  
 Matrix: **Useable Marijuana** Batch RFID: **1A40103000098BF000001370**  
 Lot # **12/20 Harvest** Batch Size: **2721.55 (g)**

## Pesticide Analysis in ppm

Date Extracted: 01/15/19 Analysis Method/SOP: Pesticides  
 Date Analyzed: 01/16/19 Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.24	Acephate	< LOQ	0.4	0.19
Acequinocyl	< LOQ	2	0.96	Acetamiprid	< LOQ	0.2	0.10
Aldicarb	< LOQ	0.4	0.19	Azoxystrobin	< LOQ	0.2	0.10
Bifenazate	< LOQ	0.2	0.10	Bifenthrin	< LOQ	0.2	0.10
Boscalid	< LOQ	0.4	0.19	Carbaryl	< LOQ	0.2	0.10
Carbofuran	< LOQ	0.2	0.10	Chlorantraniliprole	< LOQ	0.2	0.10
Chlorfenapyr	< LOQ	1	0.48	Chlorpyrifos	< LOQ	0.2	0.10
Clofentezine	< LOQ	0.2	0.10	Cyfluthrin	< LOQ	1	0.48
Cypermethrin	< LOQ	1	0.48	Daminozide	< LOQ	1	0.48
DDVP (Dichlorvos)	< LOQ	1	0.48	Diazinon	< LOQ	0.2	0.10
Dimethoate	< LOQ	0.2	0.10	Ethoprophos	< LOQ	0.2	0.10
Etofenprox	< LOQ	0.4	0.19	Etoxazole	< LOQ	0.2	0.10
Fenoxycarb	< LOQ	0.2	0.10	Fenpyroximate	< LOQ	0.4	0.19
Fipronil	< LOQ	0.4	0.19	Fonicamid	< LOQ	1	0.48
Fludioxonil	< LOQ	0.4	0.19	Hexythiazox	< LOQ	1	0.48
Imazalil	< LOQ	0.2	0.10	Imidacloprid	< LOQ	0.4	0.19
Kresoxim-methyl	< LOQ	0.4	0.19	Malathion	< LOQ	0.2	0.10
Metalaxyl	< LOQ	0.2	0.10	Methiocarb	< LOQ	0.2	0.10
Methomyl	< LOQ	0.4	0.19	Methyl parathion	< LOQ	0.2	0.10
MGK-264	< LOQ	0.2	0.10	Myclobutanil	< LOQ	0.2	0.10
Naled	< LOQ	0.5	0.24	Oxamyl	< LOQ	1	0.48
Paclobutrazol	< LOQ	0.4	0.19	Permethrins (total)	< LOQ	0.2	0.10
Phosmet	< LOQ	0.2	0.10	Piperonyl butoxide	< LOQ	2	0.48
Prallethrin	< LOQ	0.2	0.10	Propiconazole	< LOQ	0.4	0.19
Propoxur	< LOQ	0.2	0.10	Pyrethrins (total)	< LOQ	1	0.48
Pyridaben	< LOQ	0.2	0.10	Spinosad	< LOQ	0.2	0.10
Spiromesifen	< LOQ	0.2	0.10	Spirotetramat	< LOQ	0.2	0.10
Spiroxamine	< LOQ	0.4	0.19	Tebuconazole	< LOQ	0.4	0.19
Thiacloprid	< LOQ	0.2	0.10	Thiamethoxam	< LOQ	0.2	0.10
Trifloxystrobin	< LOQ	0.2	0.10				

<LOQ - Results below the Limit of Quantitation - Compound not detected



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

**Case Narrative**

**Receiving** - Samples: 19A0045-01(1372) and 19A0045-02(1371) composited for Pesticides, Moisture Content, and Water Activity.

**Terpenes** - Phytol result was above QC criteria in the Method Blank.

Phytol 2 exceeded normally accepted RPD criteria in the Sample Duplicate due to relatively large variations in very small values.

**Pesticides** - Fludioxonil recovered low in BS and MS/MSD. However, MS and MSD are consistent with each other and all samples are ND, so results are acceptable.

**Quality Control  
Potency**

**Batch: B190056 - Potency/Terpenes**

Blank(B190056-BLK1)			Extracted - 01/14/19 11:36 Analyzed - 01/14/19 18:18					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						

Duplicate(B190056-DUP1)			Extracted - 01/14/19 11:36 Analyzed - 01/15/19 12:27					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.59	%		0.60			0.450	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	< LOQ	%		< LOQ				20
CBDA (Cannabidiolic Acid)	< LOQ	%		< LOQ			5.33	20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Potency (Continued)

**Batch: B190056 - Potency/Terpenes (Continued)**

Duplicate(B190056-DUP1)			Extracted - 01/14/19 11:36 Analyzed - 01/15/19 12:27					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBN (Cannabinol)	< LOQ	%		< LOQ				20
CBG (Cannabigerol)	0.15	%		0.15			2.91	20
CBGA (Cannabigerolic Acid)	1.21	%		1.18			2.45	20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	< LOQ	%		< LOQ				20

LCS(B190056-BS1)			Extracted - 01/14/19 11:36 Analyzed - 01/14/19 18:09					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.05	%	0.0400		119	80-120		
CBD (Cannabidiol)	0.04	%	0.0400		101	80-120		
CBDA (Cannabidiolic Acid)	0.04	%	0.0400		108	80-120		
CBN (Cannabinol)	0.04	%	0.0400		90.7	80-120		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis

**Batch: B190058 - Pesticide Prep**

Blank(B190058-BLK1)		Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:24						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Fonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

Blank(B190058-BLK1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:24					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B190058-BS1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:40					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	1.28	ppm	0.980		131	29-150		
Acephate	0.95	ppm	1.00		94.8	48-133		
Acequinocyl	0.97	ppm	1.00		97.4	48-150		
Acetamiprid	0.96	ppm	1.00		95.9	45-150		
Aldicarb	1.03	ppm	1.00		103	58-134		
Azoxystrobin	1.09	ppm	1.00		109	25-150		
Bifenazate	0.91	ppm	1.00		91.3	46-141		
Bifenthrin	1.02	ppm	1.00		102	55-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.



## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

LCS(B190058-BS1)		Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:40						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Boscalid	1.05	ppm	1.00		105	34-141		
Carbaryl	0.90	ppm	1.00		90.2	67-125		
Carbofuran	0.98	ppm	1.00		98.2	71-128		
Chlorantraniliprole	0.93	ppm	1.00		93.0	43-138		
Chlorfenapyr	0.93	ppm	1.00		93.1	45-150		
Chlorpyrifos	0.89	ppm	1.00		88.6	36-150		
Clofentezine	0.85	ppm	1.00		84.9	59-135		
Cyfluthrin	1.11	ppm	1.00		111	33-150		
Cypermethrin	0.99	ppm	1.00		98.6	47-148		
Daminozide	0.61	ppm	1.00		60.7	18-116		
DDVP (Dichlorvos)	1.01	ppm	1.00		101	65-150		
Diazinon	0.87	ppm	1.00		86.9	60-130		
Dimethoate	0.94	ppm	1.00		93.5	65-131		
Ethoprophos	0.86	ppm	1.00		86.1	52-150		
Etofenprox	1.03	ppm	1.00		103	60-139		
Etoxazole	1.07	ppm	1.00		107	59-122		
Fenoxycarb	0.94	ppm	1.00		93.6	39-146		
Fenpyroximate	0.99	ppm	1.00		98.9	44-147		
Fipronil	1.01	ppm	1.00		101	40-143		
Flonicamid	0.91	ppm	1.00		90.9	50-142		
Fludioxonil	0.14	ppm	1.00		13.8	49-150		
Hexythiazox	0.96	ppm	1.00		96.4	41-142		
Imazalil	0.88	ppm	1.00		87.8	61-127		
Imidacloprid	0.84	ppm	1.00		84.1	36-150		
Kresoxim-methyl	0.85	ppm	1.00		85.4	53-131		
Malathion	1.02	ppm	1.00		102	55-134		
Metalaxyl	0.85	ppm	1.00		85.4	64-127		
Methiocarb	0.85	ppm	1.00		85.4	53-144		
Methomyl	0.87	ppm	1.00		87.2	47-141		
Methyl parathion	0.70	ppm	1.00		70.5	48-142		
MGK-264	0.53	ppm	0.630		84.5	38-150		
Myclobutanil	0.87	ppm	1.00		86.6	45-146		
Naled	0.81	ppm	1.00		81.0	28-113		
Oxamyl	0.98	ppm	1.00		98.2	48-133		
Paclobutrazol	0.88	ppm	1.00		88.2	37-150		



Brian Weigel  
 Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

LCS(B190058-BS1)		Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:40						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Permethrins (total)	1.06	ppm				46-150		
Phosmet	0.89	ppm	1.00		89.0	48-137		
Piperonyl butoxide	1.06	ppm	1.00		106	43-142		
Prallethrin	0.90	ppm	1.00		90.2	48-144		
Propiconazole	1.01	ppm	1.00		101	52-136		
Propoxur	0.94	ppm	1.00		93.9	61-131		
Pyrethrins (total)	0.69	ppm				24-150		
Pyridaben	1.04	ppm	1.00		104	40-150		
Spinosad	0.83	ppm	0.820		101	42-148		
Spiromesifen	0.82	ppm	1.00		81.6	38-150		
Spirotetramat	0.98	ppm	1.00		98.4	37-132		
Spiroxamine	0.56	ppm	0.550		102	49-136		
Tebuconazole	0.89	ppm	1.00		88.7	46-142		
Thiacloprid	0.92	ppm	1.00		92.0	48-150		
Thiamethoxam	0.96	ppm	1.00		95.6	46-138		
Trifloxystrobin	0.98	ppm	1.00		97.8	44-144		

Matrix Spike(B190058-MS1)		Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:56						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.82	ppm	1.92	< LOQ	147	15-150		
Acephate	1.82	ppm	1.96	< LOQ	92.7	45-130		
Acequinocyl	1.47	ppm	1.96	< LOQ	75.1	31-146		
Acetamiprid	1.81	ppm	1.96	< LOQ	92.3	39-150		
Aldicarb	1.88	ppm	1.96	< LOQ	96.1	47-143		
Azoxystrobin	2.02	ppm	1.96	< LOQ	103	21-150		
Bifenazate	1.74	ppm	1.96	< LOQ	88.9	31-150		
Bifenthrin	1.89	ppm	1.96	< LOQ	96.3	23-132		
Boscalid	2.05	ppm	1.96	< LOQ	105	41-141		
Carbaryl	1.72	ppm	1.96	< LOQ	87.9	60-125		
Carbofuran	1.81	ppm	1.96	< LOQ	92.1	57-136		
Chlorantraniliprole	1.84	ppm	1.96	< LOQ	93.9	32-145		
Chlorfenapyr	2.03	ppm	1.96	< LOQ	103	29-150		
Chlorpyrifos	1.84	ppm	1.96	< LOQ	94.1	29-146		
Clofentezine	1.53	ppm	1.96	< LOQ	78.2	48-128		
Cyfluthrin	1.88	ppm	1.96	< LOQ	95.9	16-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

Matrix Spike(B190058-MS1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Cypermethrin	2.01	ppm	1.96	< LOQ	103	22-150		
Daminozide	1.67	ppm	1.96	< LOQ	85.4	34-150		
DDVP (Dichlorvos)	1.81	ppm	1.96	< LOQ	92.5	55-133		
Diazinon	1.71	ppm	1.96	< LOQ	87.4	54-126		
Dimethoate	1.82	ppm	1.96	< LOQ	92.7	60-129		
Ethoprophos	1.60	ppm	1.96	< LOQ	81.9	40-150		
Etofenprox	1.98	ppm	1.96	< LOQ	101	25-135		
Etoxazole	1.83	ppm	1.96	< LOQ	93.6	26-149		
Fenoxycarb	1.66	ppm	1.96	< LOQ	84.9	37-145		
Fenpyroximate	2.31	ppm	1.96	< LOQ	118	27-150		
Fipronil	1.70	ppm	1.96	< LOQ	86.6	27-150		
Flonicamid	1.74	ppm	1.96	< LOQ	88.7	46-139		
Fludioxonil	0.25	ppm	1.96	< LOQ	12.7	31-150		
Hexythiazox	2.31	ppm	1.96	< LOQ	118	32-150		
Imazalil	1.67	ppm	1.96	< LOQ	85.1	44-142		
Imidacloprid	1.73	ppm	1.96	< LOQ	88.2	23-150		
Kresoxim-methyl	1.72	ppm	1.96	< LOQ	87.8	49-130		
Malathion	1.78	ppm	1.96	< LOQ	91.0	25-150		
Metalaxyl	1.66	ppm	1.96	< LOQ	84.9	49-141		
Methiocarb	1.71	ppm	1.96	< LOQ	87.3	44-146		
Methomyl	1.70	ppm	1.96	< LOQ	86.5	44-136		
Methyl parathion	1.72	ppm	1.96	< LOQ	87.7	15-150		
MGK-264	0.99	ppm	1.23	< LOQ	80.0	22-150		
Myclobutanil	1.58	ppm	1.96	< LOQ	80.6	34-150		
Naled	1.72	ppm	1.96	< LOQ	87.6	38-142		
Oxamyl	1.85	ppm	1.96	< LOQ	94.4	40-132		
Paclobutrazol	1.59	ppm	1.96	< LOQ	81.3	29-147		
Permethrins (total)	1.74	ppm		< LOQ		27-104		
Phosmet	1.63	ppm	1.96	< LOQ	83.2	35-150		
Piperonyl butoxide	2.05	ppm	1.96	< LOQ	105	34-143		
Prallethrin	1.80	ppm	1.96	< LOQ	91.9	33-150		
Propiconazole	1.97	ppm	1.96	< LOQ	100	46-138		
Propoxur	1.79	ppm	1.96	< LOQ	91.6	50-138		
Pyrethrins (total)	1.54	ppm		< LOQ		21-150		
Pyridaben	1.83	ppm	1.96	< LOQ	93.3	39-150		



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

Matrix Spike(B190058-MS1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19 1:56					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Spinosad	1.44	ppm	1.61	< LOQ	89.7	31-150		
Spiromesifen	1.54	ppm	1.96	< LOQ	78.8	27-141		
Spirotetramat	1.99	ppm	1.96	< LOQ	102	31-141		
Spiroxamine	1.08	ppm	1.08	< LOQ	99.8	57-139		
Tebuconazole	1.73	ppm	1.96	< LOQ	88.1	32-140		
Thiacloprid	1.75	ppm	1.96	< LOQ	89.5	45-150		
Thiamethoxam	1.79	ppm	1.96	< LOQ	91.3	40-141		
Trifloxystrobin	2.02	ppm	1.96	< LOQ	103	30-137		

Matrix Spike Dup(B190058-MSD1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.65	ppm	1.91	< LOQ	139	15-150	5.84	40
Acephate	1.77	ppm	1.95	< LOQ	90.8	45-130	2.09	26
Acequinocyl	1.47	ppm	1.95	< LOQ	75.2	31-146	0.109	50
Acetamiprid	1.72	ppm	1.95	< LOQ	88.2	39-150	4.64	21
Aldicarb	1.82	ppm	1.95	< LOQ	93.1	47-143	3.16	30
Azoxystrobin	2.01	ppm	1.95	< LOQ	103	21-150	0.170	21
Bifenazate	1.69	ppm	1.95	< LOQ	86.7	31-150	2.42	20
Bifenthrin	1.83	ppm	1.95	< LOQ	93.5	23-132	2.93	30
Boscalid	2.00	ppm	1.95	< LOQ	103	41-141	2.02	20
Carbaryl	1.76	ppm	1.95	< LOQ	90.1	60-125	2.43	20
Carbofuran	1.73	ppm	1.95	< LOQ	88.8	57-136	3.67	24
Chlorantraniliprole	1.82	ppm	1.95	< LOQ	93.0	32-145	0.883	20
Chlorfenapyr	1.98	ppm	1.95	< LOQ	101	29-150	2.14	50
Chlorpyrifos	1.79	ppm	1.95	< LOQ	91.9	29-146	2.38	24
Clofentezine	1.54	ppm	1.95	< LOQ	79.0	48-128	1.02	20
Cyfluthrin	2.03	ppm	1.95	< LOQ	104	16-150	8.21	50
Cypermethrin	2.04	ppm	1.95	< LOQ	104	22-150	1.86	30
Daminozide	1.61	ppm	1.95	< LOQ	82.7	34-150	3.25	30
DDVP (Dichlorvos)	1.71	ppm	1.95	< LOQ	87.9	55-133	5.18	30
Diazinon	1.61	ppm	1.95	< LOQ	82.3	54-126	6.04	20
Dimethoate	1.79	ppm	1.95	< LOQ	91.7	60-129	1.17	20
Ethoprophos	1.62	ppm	1.95	< LOQ	83.2	40-150	1.52	29
Etofenprox	1.97	ppm	1.95	< LOQ	101	25-135	0.370	24
Etoxazole	1.82	ppm	1.95	< LOQ	93.4	26-149	0.178	30



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Pesticide Analysis (Continued)

**Batch: B190058 - Pesticide Prep (Continued)**

Matrix Spike Dup(B190058-MSD1)			Extracted - 01/15/19 12:03 Analyzed - 01/16/19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Fenoxycarb	1.78	ppm	1.95	< LOQ	91.3	37-145	7.26	23
Fenpyroximate	2.28	ppm	1.95	< LOQ	117	27-150	0.568	20
Fipronil	1.64	ppm	1.95	< LOQ	83.9	27-150	3.20	28
Flonicamid	1.75	ppm	1.95	< LOQ	89.5	46-139	0.892	29
Fludioxonil	0.26	ppm	1.95	< LOQ	13.4	31-150	5.13	30
Hexythiazox	2.25	ppm	1.95	< LOQ	115	32-150	2.14	28
Imazalil	1.63	ppm	1.95	< LOQ	83.6	44-142	1.67	25
Imidacloprid	1.62	ppm	1.95	< LOQ	83.1	23-150	5.97	30
Kresoxim-methyl	1.63	ppm	1.95	< LOQ	83.5	49-130	5.03	20
Malathion	1.87	ppm	1.95	< LOQ	95.6	25-150	4.96	21
Metalaxyl	1.60	ppm	1.95	< LOQ	82.0	49-141	3.47	20
Methiocarb	1.66	ppm	1.95	< LOQ	84.9	44-146	2.75	20
Methomyl	1.67	ppm	1.95	< LOQ	85.6	44-136	1.02	30
Methyl parathion	1.48	ppm	1.95	< LOQ	75.9	15-150	14.5	50
MGK-264	0.96	ppm	1.23	< LOQ	77.9	22-150	2.64	24
Myclobutanil	1.57	ppm	1.95	< LOQ	80.3	34-150	0.318	23
Naled	1.68	ppm	1.95	< LOQ	85.9	38-142	1.91	25
Oxamyl	1.82	ppm	1.95	< LOQ	93.4	40-132	1.07	30
Paclobutrazol	1.58	ppm	1.95	< LOQ	81.2	29-147	0.189	20
Permethrins (total)	1.77	ppm		< LOQ		27-104		30
Phosmet	1.55	ppm	1.95	< LOQ	79.5	35-150	4.52	20
Piperonyl butoxide	2.01	ppm	1.95	< LOQ	103	34-143	1.67	21
Prallethrin	1.71	ppm	1.95	< LOQ	87.8	33-150	4.62	25
Propiconazole	1.89	ppm	1.95	< LOQ	96.9	46-138	3.59	20
Propoxur	1.72	ppm	1.95	< LOQ	87.9	50-138	4.08	28
Pyrethrins (total)	1.56	ppm		< LOQ		21-150		28
Pyridaben	1.83	ppm	1.95	< LOQ	93.7	39-150	0.374	23
Spinosad	1.50	ppm	1.60	< LOQ	93.7	31-150	4.44	30
Spiromesifen	1.52	ppm	1.95	< LOQ	78.1	27-141	0.850	30
Spirotetramat	2.00	ppm	1.95	< LOQ	102	31-141	0.652	25
Spiroxamine	1.07	ppm	1.07	< LOQ	100	57-139	0.372	20
Tebuconazole	1.54	ppm	1.95	< LOQ	79.0	32-140	10.9	20
Thiacloprid	1.66	ppm	1.95	< LOQ	85.0	45-150	5.11	21
Thiamethoxam	1.75	ppm	1.95	< LOQ	89.7	40-141	1.82	30
Trifloxystrobin	1.85	ppm	1.95	< LOQ	94.7	30-137	8.46	29



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control Terpene Analysis

**Batch: B190057 - Potency/Terpenes**

Blank(B190057-BLK1)			Extracted - 01/14/19 11:36 Analyzed - 01/14/19 19:19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Pinene	< LOQ	%						
Myrcene	< LOQ	%						
alpha Phellandrene	< LOQ	%						
3-Carene	< LOQ	%						
alpha Terpinene	< LOQ	%						
Limonene	< LOQ	%						
Terpinolene	< LOQ	%						
Linalool	< LOQ	%						
Fenchol	< LOQ	%						
Borneol	< LOQ	%						
Terpineol	< LOQ	%						
Geraniol	< LOQ	%						
alpha Humulene	< LOQ	%						
beta Caryophyllene	< LOQ	%						
Caryophyllene Oxide	< LOQ	%						
alpha Bisabolol	< LOQ	%						
Camphene	< LOQ	%						
beta Pinene	< LOQ	%						
Ocimene	< LOQ	%						
Sabinene	< LOQ	%						
Camphor	< LOQ	%						
Isoborneol	< LOQ	%						
Menthol	< LOQ	%						
alpha Cedrene	< LOQ	%						
Nerolidol	< LOQ	%						
R-(+)-Pulegone	< LOQ	%						
Eucalyptol	< LOQ	%						
p-Cymene	< LOQ	%						
(-)-Isopulegol	< LOQ	%						
Geranyl Acetate	< LOQ	%						
Guaiol	< LOQ	%						
Valencene	< LOQ	%						
Phytol	0.298	%						
Citronellol	< LOQ	%						
gamma-Terpinene	< LOQ	%						



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B190057 - Potency/Terpenes (Continued)**

Duplicate(B190057-DUP1)			Extracted - 01/14/19 11:36 Analyzed - 01/14/19 19:19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
alpha Ocimene	< LOQ	%		< LOQ				20
alpha Terpineol	0.026	%		< LOQ				20
beta Ocimene	0.382	%		0.381			0.339	20
beta Terpineol	< LOQ	%		< LOQ				20
cis-Nerolidol	< LOQ	%		< LOQ				20
Phytol 1	0.020	%		< LOQ				20
Phytol 2	0.021	%		0.035			50.1	20
trans-Nerolidol	< LOQ	%		< LOQ				20
alpha Pinene	0.082	%		0.084			2.76	20
Myrcene	2.276	%		2.278			0.0968	20
alpha Phellandrene	< LOQ	%		< LOQ				20
3-Carene	< LOQ	%		< LOQ				20
alpha Terpinene	< LOQ	%		< LOQ				20
Limonene	0.063	%		0.064			1.05	20
Terpinolene	< LOQ	%		< LOQ				20
Linalool	0.025	%		0.024			1.47	20
Fenchol	< LOQ	%		< LOQ				20
Borneol	< LOQ	%		< LOQ				20
Terpineol	0.026	%		< LOQ				20
Geraniol	< LOQ	%		< LOQ				20
alpha Humulene	0.057	%		0.055			3.66	20
beta Caryophyllene	0.166	%		0.163			2.12	20
Caryophyllene Oxide	< LOQ	%		< LOQ				20
alpha Bisabolol	0.069	%		0.062			9.82	20
Camphene	< LOQ	%		< LOQ				20
beta Pinene	0.047	%		0.048			2.35	20
Ocimene	0.382	%		0.381			0.339	20
Sabinene	< LOQ	%		< LOQ				20
Camphor	< LOQ	%		< LOQ				20
Isoborneol	< LOQ	%		< LOQ				20
Menthol	< LOQ	%		< LOQ				20
alpha Cedrene	< LOQ	%		< LOQ				20
Nerolidol	< LOQ	%		< LOQ				20
R-(+)-Pulegone	< LOQ	%		< LOQ				20
Eucalyptol	< LOQ	%		< LOQ				20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.

## Quality Control

### Terpene Analysis (Continued)

**Batch: B190057 - Potency/Terpenes (Continued)**

Duplicate(B190057-DUP1)			Extracted - 01/14/19 11:36 Analyzed - 01/14/19 19:19					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
p-Cymene	< LOQ	%		< LOQ				20
(-)-Isopulegol	< LOQ	%		< LOQ				20
Geranyl Acetate	< LOQ	%		< LOQ				20
Guaiol	0.088	%		0.080			9.72	20
Valencene	0.025	%		0.024			2.25	20
Phytol	0.041	%		0.035			15.4	20
Citronellol	< LOQ	%		< LOQ				20
gamma-Terpinene	< LOQ	%		< LOQ				20

**Batch: B190059 - Gravimetric**

Duplicate(B190059-DUP1)			Extracted - 01/15/19 16:38 Analyzed - 01/15/19 16:38					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Percent Moisture	13.0	%		13.0			0.527	20

**Batch: B190060 - Water Activity**

Duplicate(B190060-DUP1)			Extracted - 01/15/19 10:33 Analyzed - 01/15/19 10:33					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Water Activity	0.472	AW		0.444			6.18	20



Brian Weigel  
Lab Director

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2009 Standard and SC Laboratories quality assurance plan unless otherwise noted.





**OREGON LIQUOR CONTROL COMMISSION  
CANNABIS TRANSPORTATION MANIFEST**



19A0045

All sales transactions are to be completed prior to transportation of any CANNABIS. The receiving entity may reject product delivered, but amount delivered must be limited to amount agreed upon in prior sales transaction.

<b>Manifest No.:</b>	<b>0001233457</b>	<b>Date Created:</b>	<b>1/11/2019 11:42 AM</b>
<b>Originating Entity:</b>	Western Oregon Botanicals	<b>For OLCC Use Only</b>	
<b>Originating License Number:</b>	020-10021071D94		
<b>Address of Originating Entity:</b>	18270 SW Belton Road Sherwood, OR 97140		
<b>Phone No. of Originating Entity:</b>	971-325-4690		
<b>Contact Phone No. for Inquiries: 971-325-4690</b>			
<b>Destination # 1</b>	<b>SC Laboratories</b>	<b>Destination Phone No.:</b>	<b>707-339-0050</b>
<b>Destination License Number:</b>	010-1004748743D	<b>Date and Approx. Time of Departure:</b>	1/11/2019 11:39 AM
<b>Address of Destination:</b>	15865 SW 74th Avenue Ste 110 Tigard, OR 97224	<b>Date and Approx. Time of Arrival:</b>	1/11/2019 6:00 PM
		<b>Date/Time Received:</b>	1-11-19 16:54
		<b>Notes: details for extenuating circumstances (e.g., road closure, flat tire, etc.)</b>	
<b>Route to be Traveled:</b> see google route.			
<b>Name of Person Transporting:</b>	Scott Forster	<b>Handler Permit No. of Driver:</b>	N/A
<b>State Driver's License No.:</b>	a625521	<b>Signature of Person Transporting:</b>	<i>SWF</i>
<b>Make, Model, License Plate No.:</b>	Nissan NV200 825KAT		
<b>Package # 1</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A40103000098BF000001371 Lab Test: SubmittedForTesting Status: Shipped		707 Headband (Buds (by strain))	Shp: 15.3300 g
<b>Harvests:</b>	12/20 707 headband		
<b>Package # 2</b>	<b>Production Batch No.</b>	<b>Item Name</b>	<b>Quantity</b>
1A40103000098BF000001372 Lab Test: SubmittedForTesting Status: Shipped		Super Glue (Buds (by strain))	Shp: 21.7200 g
<b>Harvests:</b>	12/20 Super glue		
<b>PRODUCT REJECTION (if only a portion of shipment is rejected, circle that portion above)</b>			
<b>Name of Person Receiving or Rejecting Product:</b>	Angelica Serr		
I confirm that the contents of this shipment match weight records entered above, and I agree to take custody of those portions of this shipment <i>not</i> circled above. Those portions circled were returned to the individual delivering this shipment.			
<b>Signature:</b>	<i>Angelica</i>	<b>Date:</b>	1-11-19
<b>Signature of individual taking receipt of rejected portion of this shipment:</b>			

Client: Western Oregon Botanicals Client License: 02010021071d94 Date: 1/11/2019 Thermometer ID: T014  
 Location: 18270 SW Benton Rd Sherwood OR Requestor: Abdullah Naimi Event ID: 19A0047 Balance ID: SAMP\_BAL\_02  
 Sampling SOP: SC-OR-SAMP-003 Sampler: Scott Forster Transporter: Scott Forster Hygrometer ID: Anemometer\_02

Lab ORELAP ID: 4133  
 Lab OLCC ID: 1004748743D



Weight used (g)	Weight Set ID	Acceptance Criteria	Initial Measured	Initial P/F	Final Measured	Final P/F
0.5	SAMP_CAL_02	±2.5%	0.5	P	0.5	P
200		±2.5%	199.98		199.98	

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Storage Bin	122018				Usable Marijuana	Super Glue	12/20/2018	4082.33
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1" Sample Size (g)	Sample Name
1369	13.9		2	Mylar Bag	4	9	2.4	Super Glue Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19A0045-01	Super Glue-1		A1	0	2.4	2.4	1372	
19A0045-01	Super Glue-1		A3	2.4	4.8	2.4	1372	
19A0045-01	Super Glue-1		A4	4.8	7.2	2.4	1372	
19A0045-01	Super Glue-2		B1	7.2	9.6	2.4	1372	
19A0045-01	Super Glue-2		B2	9.6	12	2.4	1372	
19A0045-01	Super Glue-2		B3	12	14.4	2.4	1372	
19A0045-01	Super Glue-2		B3	14.4	16.8	2.4	1372	
19A0045-01	Super Glue-2		B4	16.8	19.2	2.4	1372	
19A0045-01	Super Glue-2		B4	19.2	21.72	2.52	1372	
Minimum Sample Size = 20.4g (Usable Marijuana Only)					Total Sample Mass = 21.72			
Observations and Abnormalities:		Batch #	Marks/Labels	Cont. Types/Sizes	Uniform	Plant Colors	Shape and Size	Sampling Plan

Container Type	METRC Harvest/Processing Lot ID #:				Product Type	Client Sample Name	Product Date	Batch Size (g)
Storage Bin	122018				Usable Marijuana	707 Headband	12/20/2018	2721.55
METRC Batch ID	Product Temp (°C)	Humidity (%)	# of Containers	Sample Media	# Zones	# of Inc.	1" Sample Size (g)	Sample Name
1370	13.9		2	Mylar Bag	4	8	1.9	707 Headband Primary
Lab Sample ID	Container ID		Increment Zone	Sampling Media Wt. (g)	Wt. Inc+Media (g)	Increment Weight (g)	Sample METRC ID#	
19A0045-02	707 Headband-1		A2	0	1.9	1.9	1371	
19A0045-02	707 Headband-1		A3	1.9	3.8	1.9	1371	
19A0045-02	707 Headband-1		A4	3.8	5.7	1.9	1371	
19A0045-02	707 Headband-1		A4	5.7	7.6	1.9	1371	
19A0045-02	707 Headband-1		A4	7.6	9.5	1.9	1371	
19A0045-02	707 Headband-2		B1	9.5	11.4	1.9	1371	
19A0045-02	707 Headband-2		B1	11.4	13.3	1.9	1371	
19A0045-02	707 Headband-2		B3	13.3	15.33	2.03	1371	

# CHAIN OF CUSTODY



Sample Type Legend

**SC Laboratories Oregon LLC**  
 15865 SW 74th Avenue, Ste 110  
 Tigard OR, 97224  
 (503) 272-8830  
 ORELAP ID # 4133  
 www.sclabs.com

<b>Client</b>	Western Oregon Botanicals	<b>COC #</b>	1/1
<b>Address</b>	18270 SW Benton Rd Sherwood OR	<b>Work Order #</b>	19A0045
<b>Date Sampled</b>	1/11/2019	<b>Received By</b>	AS
<b>OLCC License #</b>	02010021071494	<b>Received Date</b>	1.11.19
<b>OLCC License Type</b>	Grower	<b>Courier</b>	Scott Forster
<b>Email</b>	bdulla@nami@yahoo.co	<b>Name of Sampler</b>	Scott Forster
<b>Phone</b>	208-989-3449	<b>Transfer Manifest #</b>	1233457
<b>Sampler OLCC License #</b>	010-1004748743D	<b>Place where Sampled</b>	18270 SW Benton Rd Sherwood OR

TESTS REQUESTED

Sample Name	Time	METRC Label	Unique Batch Number	SC Labs LIMS ID	Sample Type	Total Sample Mass	# of Increments	TESTS REQUESTED					Sample Specific Notes
								Polency	Water Activity	Moisture Content	Pesticide	Residual Solvent	
Super Glue Primary	11:20	1372	Super Glue	19A0045-01	U	21.72	9	X	X	X	X	X	
707 Headband Primary	11:30	1371	707 Headband	19A0045-02	U	15.33	8	X	X	X	X	X	

Notes/Special Considerations: Opt OUT of Sample Duplicate Yes  No

Samples Relinquished	Samples Received	Samples Relinquished	Samples Received
Print Name: Ryan Hardy    Date: 1/11/19 Representative of: Western Oregon Botanicals Signature: <i>[Signature]</i> Time: 11:45a	Print Name: Scott Forster    Date: 1/11/19 Representative of: SC Labs Signature: <i>[Signature]</i> Time: 11:45a	Print Name: _____    Date: _____ Representative of: _____ Signature: _____    Time: _____	Print Name: _____    Date: _____ Representative of: _____ Signature: _____    Time: _____