



Certificate of Analysis

Powered by Confident Cannabis
1 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Pass

Pesticides

Moisture **10.3%**
Water Activity **0.548**
0.65 Limit

Microbial Potential

Cannabinoids

332 HPLC4 20190529-6
05/29/2019 | METRC THC RPD Status: Not Tested

Pass

24.13%

Total THC* (Calculated
Decarboxylated Potential)

0.07%

Total CBD** (Calculated
Decarboxylated Potential)

27.85%

Total Cannabinoids Analyzed

Analyte	LOQ	Mass	Mass
	mg/g	%	mg/g
THCa	0.4	26.21	262.1
Δ9-THC	0.4	1.15	11.5
THCV	0.4	<LOQ	<LOQ
CBDa	0.4	0.08	0.8
CBD	0.4	<LOQ	<LOQ
CBDV	0.4	<LOQ	<LOQ
CBN	0.4	<LOQ	<LOQ
CBGa	0.4	0.35	3.5
CBG	0.4	0.07	0.7
CBC	0.4	<LOQ	<LOQ
Total		27.85	278.5

Method: CH SOP 400
*Total THC = THCa * 0.877 + d9-THC. **Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantification; NR = Not Reported; ND = Not Detected

5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Douglas Duncan
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
2 of 15

Western Oregon Botanicals

Sample: 1905CH0321.1447

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Pesticides

514LCQQQ3 20190529-1

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB			PPB	PPB	PPB	
Abamectin	400	500	<LOQ	Pass	Imazalil	100	200	<LOQ	Pass
Acephate	100	400	<LOQ	Pass	Imidacloprid	100	400	<LOQ	Pass
Acequinocyl	750	2000	<LOQ	Pass	Kresoxim Methyl	100	400	<LOQ	Pass
Acetamiprid	100	200	<LOQ	Pass	Malathion	100	200	<LOQ	Pass
Aldicarb	300	400	<LOQ	Pass	Metalaxyl	100	200	<LOQ	Pass
Azoxystrobin	100	200	<LOQ	Pass	Methiocarb	100	200	<LOQ	Pass
Bifenazate	100	200	<LOQ	Pass	Methomyl	100	400	<LOQ	Pass
Bifenthrin	100	200	<LOQ	Pass	Methyl Parathion	100	200	<LOQ	Pass
Boscalid	200	400	<LOQ	Pass	MGK-264	100	200	<LOQ	Pass
Carbaryl	100	200	<LOQ	Pass	Myclobutanil	100	200	<LOQ	Pass
Carbofuran	100	200	<LOQ	Pass	Naled	100	500	<LOQ	Pass
Chlorantraniliprole	100	200	<LOQ	Pass	Oxamyl	100	1000	<LOQ	Pass
Chlorfenapyr	400	1000	<LOQ	Pass	Paclobutrazol	100	400	<LOQ	Pass
Chlorpyrifos	150	200	<LOQ	Pass	Permethrins	150	200	<LOQ	Pass
Clofentezine	100	200	<LOQ	Pass	Phosmet	100	200	<LOQ	Pass
Cyfluthrin	400	1000	<LOQ	Pass	Piperonyl Butoxide	100	2000	<LOQ	Pass
Cypermethrin	400	1000	<LOQ	Pass	Prallethrin	150	200	<LOQ	Pass
Daminozide	400	1000	<LOQ	Pass	Propiconazole	200	400	<LOQ	Pass
Diazinon	100	200	<LOQ	Pass	Propoxur	100	200	<LOQ	Pass
Dichlorvos	150	1000	<LOQ	Pass	Pyrethrins	400	1000	<LOQ	Pass
Dimethoate	100	200	<LOQ	Pass	Pyridaben	100	200	<LOQ	Pass
Ethoprophos	100	200	<LOQ	Pass	Spinosad	100	200	<LOQ	Pass
Etofenprox	200	400	<LOQ	Pass	Spiromesifen	100	200	<LOQ	Pass
Etoazole	100	200	<LOQ	Pass	Spirotetramat	100	200	<LOQ	Pass
Fenoxycarb	100	200	<LOQ	Pass	Spiroxamine	150	400	<LOQ	Pass
Fenpyroximate	200	400	<LOQ	Pass	Tebuconazole	100	400	<LOQ	Pass
Fipronil	100	400	<LOQ	Pass	Thiacloprid	100	200	<LOQ	Pass
Flonicamid	200	1000	<LOQ	Pass	Thiamethoxam	150	200	<LOQ	Pass
Fludioxonil	200	400	<LOQ	Pass	Trifloxystrobin	100	200	<LOQ	Pass
Hexythiazox	200	1000	<LOQ	Pass					

Method: Modified AOAC 2007.01, Triple Quad analysis; LOQ = Limit of Quantification; PPB = Parts Per Billion; ND = Not Detected; NR = Not Reported; ORELAP ID 4057



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Douglas Duncan
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Informational Use Only - Not For Regulatory Use

Powered by Confident Cannabis
3 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Terpenes

488 GCFID1 20190530-1
05/30/2019

Analyte	Mass %	Mass mg/g	LOQ %	Analyte	Mass %	Mass mg/g	LOQ %
α-Pinene	0.03	0.3	0.02	Isoborneol	<LOQ	<LOQ	0.02
Camphene	<LOQ	<LOQ	0.02	Borneol	<LOQ	<LOQ	0.02
Sabinene	<LOQ	<LOQ	0.02	Hexahydro Thymol	<LOQ	<LOQ	0.02
(-) -β-Pinene	0.05	0.5	0.02	α-Terpineol	0.08	0.8	0.02
β-Myrcene	0.39	3.9	0.02	γ-Terpineol	<LOQ	<LOQ	0.02
α-Phellandrene	<LOQ	<LOQ	0.02	Nerol	<LOQ	<LOQ	0.02
δ-3-Carene	<LOQ	<LOQ	0.02	Pulegone	<LOQ	<LOQ	0.02
α-Terpinene	<LOQ	<LOQ	0.02	Geraniol	<LOQ	<LOQ	0.02
p-Isopropyltoluene	<LOQ	<LOQ	0.02	Farnesene	<LOQ	<LOQ	0.02
δ-Limonene	0.42	4.2	0.02	α-Cedrene	<LOQ	<LOQ	0.02
Eucalyptol	<LOQ	<LOQ	0.02	β-Caryophyllene	1.22	12.2	0.02
Ocimene 1	<LOQ	<LOQ	0.02	α-Humulene	0.34	3.4	0.02
Ocimene 2	<LOQ	<LOQ	0.02	Valencene	<LOQ	<LOQ	0.02
γ-Terpinene	<LOQ	<LOQ	0.02	Geranyl Acetate	0.10	1.0	0.02
Sabinene Hydrate	<LOQ	<LOQ	0.02	cis-Nerolidol	<LOQ	<LOQ	0.02
Fenchone	<LOQ	<LOQ	0.02	β-Nerolidol	<LOQ	<LOQ	0.02
Terpinolene	<LOQ	<LOQ	0.02	trans-Nerolidol	0.62	6.2	0.02
Linalool	0.12	1.2	0.02	Caryophyllene Oxide	<LOQ	<LOQ	0.02
Endo-Fenchyl Alcohol	0.05	0.5	0.02	(-) -Guaiol	<LOQ	<LOQ	0.02
Camphor	<LOQ	<LOQ	0.02	Cedrol	<LOQ	<LOQ	0.02
(-) -Isopulegol	<LOQ	<LOQ	0.02	(-) -α-Bisabolol	0.12	1.2	0.02

Primary Aromas

3.54% Total Terpenes	 Cinnamon	 Orange	 Hops	 Lavender	 Chamomile
-------------------------	--------------	------------	----------	--------------	---------------

Method: GC-FID CH SOP 401; based on dry weight; LOQ = Limit of Quantification; NR = Not Reported; ND = Not Detected



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Douglas Duncan

Douglas Duncan
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
4 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
332 HPLC4 20190529-6	PMB05281901F	Cannabinoids	Blank

QC Notes

None

Compounds	Blank Result	Blank Max % (LOQ)	Blank Result %	Notes
THCa	0	0.05	<LOQ	-
Δ9-THC	0	0.05	<LOQ	-
CBDa	0	0.05	<LOQ	-
CBD	0	0.05	<LOQ	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
5 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
332 HPLC4 20190529-6	PLCS05281901F	Cannabinoids	Lab Control Sample

QC Notes

None

Compounds	LCS Result (%)	LCS Spike	LCS % Rec	% Limits	Notes
THCa	4.62	4.45	103.82	70 - 130	-
Δ9-THC	2.98	3.47	85.88	70 - 130	-
CBDa	5.9	5.69	103.69	70 - 130	-
CBD	4.02	3.55	113.24	57 - 143	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
6 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
332 HPLC4 20190529-6	PMS05281901F	Cannabinoids	Spike

QC Notes

None

Compounds	LOQ	Matrix Duplicate % RPD	Duplicate RPD Notes	Matrix Spike % Rec	% Limits	Notes
THCa	0.04	0	<20	12	70 - 130	Below Limit Range
Δ9-THC	0.04	0	<20	86	70 - 130	-
CBDa	0.04	11.76	<20	74	70 - 130	-
CBD	0.04	<LOQ	<LOQ	110	70 - 130	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
7 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
261 GCQQQ2 20190529-1	MRMB05281901P GC	Required Pesticides	Blank

QC Notes

None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Chlorfenapyr	400	<LOQ	-
Cyfluthrin	400	<LOQ	-
Cypermethrin	400	<LOQ	-
Fipronil	100	<LOQ	-
Fludioxonil	200	<LOQ	-
MGK-264	100	<LOQ	-
Methyl Parathion	100	<LOQ	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
8 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRMB05281901P LC	Required Pesticides	Blank

QC Notes
None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Acephate	100	<LOQ	
Acequinocyl	750	<LOQ	
Acetamiprid	100	<LOQ	
Aldicarb	300	<LOQ	
Abamectin	400	<LOQ	
Azoxystrobin	100	<LOQ	
Bifenazate	100	<LOQ	
Bifenthrin	100	<LOQ	
Boscalid	200	<LOQ	
Carbaryl	100	<LOQ	
Carbofuran	100	<LOQ	
Chlorantraniliprole	100	<LOQ	
Chlorpyrifos	150	<LOQ	
Clofentezine	100	<LOQ	
Daminozide	400	<LOQ	
Diazinon	100	<LOQ	
Dichlorvos	150	<LOQ	
Dimethoate	100	<LOQ	
Ethoprophos	100	<LOQ	
Etofenprox	200	<LOQ	
Etoxazole	100	<LOQ	
Fenoxycarb	100	<LOQ	
Fenpyroximate	200	<LOQ	
Flonicamid	200	<LOQ	
Hexythiazox	200	<LOQ	
Imazalil	100	<LOQ	
Imidacloprid	100	<LOQ	
Kresoxim Methyl	100	<LOQ	
Malathion	100	<LOQ	
Metalaxyl	100	<LOQ	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
9 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRMB05281901P LC	Required Pesticides	Blank

QC Notes

None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Methiocarb	100	<LOQ	
Methomyl	100	<LOQ	
Myclobutanil	100	<LOQ	
Naled	100	<LOQ	
Oxamyl	100	<LOQ	
Paclobutrazol	100	<LOQ	
Permethrin	150	<LOQ	
Phosmet	100	<LOQ	
Piperonyl Butoxide	100	<LOQ	
Prallethrin	150	<LOQ	
Propiconazole	200	<LOQ	
Propoxur	100	<LOQ	
Pyrethrins	400	<LOQ	
Pyridaben	100	<LOQ	
Spinosad	100	<LOQ	
Spiromesifen	100	<LOQ	
Spirotetramat	100	<LOQ	
Spiroxamine	150	<LOQ	
Tebuconazole	100	<LOQ	
Thiacloprid	100	<LOQ	
Thiamethoxam	150	<LOQ	
Trifloxystrobin	100	<LOQ	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
10 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
261 GCQQQ2 20190529-1	MRLCS05281901P GC	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	% Limits	Notes
Chlorfenapyr	110	69 - 132	-
Cyfluthrin	103	68 - 136	-
Cypermethrin	106	67 - 134	-
Fipronil	102	67 - 136	-
Fludioxonil	123	69 - 139	-
MGK-264	106	65 - 145	-
Parathion Methyl	105	66 - 131	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
11 of 15

Western Oregon Botanicals

Sample: 1905CH0321.1447

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRLCS05281901P LC	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	LCS % Limits	Notes
Acephate	100.35	56 - 149	-
Acequinocyl	78.75	30 - 142	-
Acetamiprid	101.61	56 - 149	-
Aldicarb	107.92	53 - 150	-
Abamectin	89.3	30 - 140	-
Azoxystrobin	97.28	55 - 138	-
Bifenazate	99.71	53 - 137	-
Bifenthrin	99.1	30 - 150	-
Boscalid	102.77	55 - 142	-
Carbaryl	101.51	56 - 150	-
Carbofuran	104.82	57 - 142	-
Chlorantraniliprole	174.92	54 - 141	Above Limit Range
Chlorpyrifos	95.58	34 - 150	-
Clofentezine	99.32	44 - 150	-
Daminozide	82.78	30 - 150	-
Diazinon	98.54	55 - 134	-
Dichlorvos	103.9	49 - 149	-
Dimethoate	103.43	56 - 149	-
Ethoprophos	90.64	52 - 143	-
Etofenprox	95.71	46 - 140	-
Etoxazole	95.12	50 - 134	-
Fenoxycarb	101.32	53 - 139	-
Fenpyroximate	90.26	45 - 127	-
Flonicamid	102.07	55 - 145	-
Hexythiazox	91.89	39 - 141	-
Imazalil	67.81	40 - 149	-
Imidacloprid	105.09	54 - 150	-
Kresoxim Methyl	104.4	57 - 139	-
Malathion	106.11	51 - 147	-
Metalaxyl	105.23	58 - 142	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
12 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRLCS05281901P LC	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	LCS % Limits	Notes
Methiocarb	100.74	50 - 150	-
Methomyl	106.78	55 - 150	-
Myclobutanil	100.69	54 - 145	-
Naled	104.92	49 - 146	-
Oxamyl	106.52	56 - 147	-
Paclobutrazol	97.69	56 - 139	-
Permethrin	102.04	30 - 138	-
Phosmet	102.82	57 - 146	-
Piperonyl Butoxide	98.06	48 - 146	-
Prallethrin	100.32	53 - 146	-
Propiconazole	96.98	49 - 129	-
Propoxur	103.09	56 - 150	-
Pyrethrins	94.72	30 - 150	-
Pyridaben	96.79	50 - 132	-
Spinosad	47.65	30 - 150	-
Spiromesifen	100.44	52 - 136	-
Spirotetramat	95.86	46 - 150	-
Spiroxamine	51.85	30 - 150	-
Tebuconazole	93.68	48 - 136	-
Thiacloprid	105.67	47 - 150	-
Thiamethoxam	104.06	57 - 147	-
Trifloxystrobin	102.32	46 - 147	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
13 of 15

Western Oregon Botanicals

Sample: 1905CH0321.1447

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
261 GCQQQ2 20190529-1	MRMS05281901P GC	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Chlorfenapyr	3.32	20	<20	116.49	62 - 130	
Cyfluthrin	1.13	20	<20	103	63 - 128	
Cypermethrin	1.13	20	<20	104.11	58 - 126	
Fipronil	0.62	20	<20	103.51	62 - 134	
Fludioxonil	5.08	20	<20	118.74	62 - 139	
MGK-264	2.04	20	<20	107.59	56 - 150	
Methyl Parathion	0.68	20	<20	106.6	63 - 135	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
14 of 15

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1905CH0321.1447

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRMS05281901P LC	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Acephate	0.39	30	<30	100.4	52 - 150	-
Acequinocyl	15.12	30	<30	81.55	30 - 147	-
Acetamiprid	0.11	30	<30	103.05	47 - 148	-
Aldicarb	1.06	30	<30	102.8	48 - 145	-
Abamectin	10.24	30	<30	67.56	41 - 150	-
Azoxystrobin	5.07	30	<30	106.22	50 - 150	-
Bifenazate	2.94	30	<30	105.64	50 - 150	-
Bifenthrin	1.78	30	<30	98.4	46 - 150	-
Boscalid	14.55	30	<30	115.96	50 - 150	-
Carbaryl	0.28	30	<30	103.64	57 - 150	-
Carbofuran	0.63	30	<30	104.44	51 - 150	-
Chlorantraniliprole	1.52	30	<30	178.7	52 - 150	Above Limit Range
Chlorpyrifos	11.77	30	<30	121.57	30 - 150	-
Clofentezine	6.28	30	<30	125.46	53 - 146	-
Daminozide	3.3	30	<30	76.57	30 - 150	-
Diazinon	0.45	30	<30	103.1	41 - 145	-
Dichlorvos	1.78	30	<30	102.42	54 - 141	-
Dimethoate	0.58	30	<30	102.94	49 - 149	-
Ethoprophos	0.73	30	<30	93.39	47 - 146	-
Etofenprox	1.6	30	<30	98.87	38 - 150	-
Etoxazole	4.51	30	<30	104.37	34 - 150	-
Fenoxycarb	0.01	30	<30	104.88	54 - 150	-
Fenproximate	1.52	30	<30	91.32	34 - 150	-
Flonicamid	2.45	30	<30	102.98	45 - 143	-
Hexythiazox	13.16	30	<30	127.1	30 - 150	-
Imazalil	16.24	30	<30	76.39	30 - 147	-
Imidacloprid	1.98	30	<30	102.4	43 - 148	-
Kresoxim Methyl	4.44	30	<30	116.47	56 - 144	-
Malathion	3.59	30	<30	111.74	55 - 150	-
Metalaxyl	1.29	30	<30	104.34	50 - 150	-



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
15 of 15

Western Oregon Botanicals

Sample: 1905CH0321.1447

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 2; Batch Size: 3629 g
Sample Received: 05/28/2019; Report Created: 06/03/2019; Expires: 06/03/2020
Harvest/Production Date: 05/02/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 5/2/19; METRC Batch: 1A40103000098BF000001663; METRC Sample: 1A40103000098BF000001667



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
514 LCQQQ3 20190529-1	MRMS05281901P LC	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Methiocarb	4.04	30	<30	110.87	50 - 150	-
Methomyl	0.52	30	<30	104.11	42 - 150	-
Myclobutanil	0.65	30	<30	105.23	43 - 150	-
Naled	2.31	30	<30	113.6	46 - 150	-
Oxamyl	0.9	30	<30	104.35	41 - 150	-
Paclobutrazol	0.75	30	<30	102.73	47 - 150	-
Permethrin	5.33	30	<30	100.72	37 - 150	-
Phosmet	2.07	30	<30	103.36	35 - 150	-
Piperonyl Butoxide	4.38	30	<30	102.09	30 - 149	-
Prallethrin	0.71	30	<30	90.88	46 - 150	-
Propiconazole	1.07	30	<30	99.98	40 - 150	-
Propoxur	2.89	30	<30	104.38	53 - 150	-
Pyrethrins	0.45	30	<30	83.4	30 - 150	-
Pyridaben	1.21	30	<30	96.11	41 - 150	-
Spinosad	19.05	30	<30	57.24	30 - 150	-
Spiromesifen	2.65	30	<30	94.97	43 - 150	-
Spirotetramat	1.31	30	<30	96.54	48 - 150	-
Spiroxamine	1.69	30	<30	67.02	30 - 143	-
Tebuconazole	0.71	30	<30	97.26	45 - 150	-
Thiacloprid	1.76	30	<30	101.4	50 - 147	-
Thiamethoxam	0.83	30	<30	104	40 - 147	-
Trifloxystrobin	2.68	30	<30	104.94	50 - 150	-



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.