



Certificate of Analysis

Powered by Confident Cannabis
1 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Pass

Pesticides

Moisture **11.6%**
Water Activity **0.586**
0.65 Limit

Microbial Potential

Cannabinoids

537 HPLC3 20190923-1
09/24/2019 | METRC THC RPD Status: Not Tested

Pass

21.82%

Total THC* (Calculated
Decarboxylated Potential)

0.07%

Total CBD** (Calculated
Decarboxylated Potential)

25.22%

Total Cannabinoids Analyzed

Analyte	LOQ mg/g	Mass %	Mass mg/g
THCa		23.73	237.3
Δ9-THC		1.01	10.1
THCV	<LOQ	<LOQ	<LOQ
CBDa		0.08	0.8
CBD	<LOQ	<LOQ	<LOQ
CBDV	<LOQ	<LOQ	<LOQ
CBN	<LOQ	<LOQ	<LOQ
CBGa		0.27	2.7
CBG		0.08	0.8
CBC		0.05	0.5
Total		25.22	252.2

Method: CH SOP 400
*Total THC = THCa * 0.877 + d9-THC. **Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantification; NR = Not Reported; ND = Not Detected



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Douglas Duncan
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
2 of 14

Western Oregon Botanicals

Sample: 1909CH0478.1667

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Pesticides

644 LCQQQ3 20190923-2

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB			PPB	PPB	PPB	
Abamectin	400	500	<LOQ	Pass	Imazalil	100	200	<LOQ	Pass
Acephate	100	400	<LOQ	Pass	Imidacloprid	100	400	<LOQ	Pass
Acequinocyl	750	2000	<LOQ	Pass	Kresoxim Methyl	100	400	<LOQ	Pass
Acetamiprid	100	200	<LOQ	Pass	Malathion	100	200	<LOQ	Pass
Aldicarb	300	400	<LOQ	Pass	Metalaxyl	100	200	<LOQ	Pass
Azoxystrobin	100	200	<LOQ	Pass	Methiocarb	100	200	<LOQ	Pass
Bifenazate	100	200	<LOQ	Pass	Methomyl	100	400	<LOQ	Pass
Bifenthrin	100	200	<LOQ	Pass	Methyl Parathion	100	200	<LOQ	Pass
Boscalid	200	400	<LOQ	Pass	MGK-264	100	200	<LOQ	Pass
Carbaryl	100	200	<LOQ	Pass	Myclobutanil	100	200	<LOQ	Pass
Carbofuran	100	200	<LOQ	Pass	Naled	100	500	<LOQ	Pass
Chlorantraniliprole	100	200	<LOQ	Pass	Oxamyl	100	1000	<LOQ	Pass
Chlorfenapyr	400	1000	<LOQ	Pass	Paclobutrazol	100	400	<LOQ	Pass
Chlorpyrifos	150	200	<LOQ	Pass	Permethrins	150	200	<LOQ	Pass
Clofentezine	100	200	<LOQ	Pass	Phosmet	100	200	<LOQ	Pass
Cyfluthrin	400	1000	<LOQ	Pass	Piperonyl Butoxide	100	2000	<LOQ	Pass
Cypermethrin	400	1000	<LOQ	Pass	Prallethrin	150	200	<LOQ	Pass
Daminozide	400	1000	<LOQ	Pass	Propiconazole	200	400	<LOQ	Pass
Diazinon	100	200	<LOQ	Pass	Propoxur	100	200	<LOQ	Pass
Dichlorvos	150	1000	<LOQ	Pass	Pyrethrins	400	1000	<LOQ	Pass
Dimethoate	100	200	<LOQ	Pass	Pyridaben	100	200	<LOQ	Pass
Ethoprophos	100	200	<LOQ	Pass	Spinosad	100	200	<LOQ	Pass
Etofenprox	200	400	<LOQ	Pass	Spiromesifen	100	200	<LOQ	Pass
Etoxazole	100	200	<LOQ	Pass	Spirotetramat	100	200	<LOQ	Pass
Fenoxycarb	100	200	<LOQ	Pass	Spiroxamine	150	400	<LOQ	Pass
Fenpyroximate	200	400	<LOQ	Pass	Tebuconazole	100	400	<LOQ	Pass
Fipronil	100	400	<LOQ	Pass	Thiacloprid	100	200	<LOQ	Pass
Flonicamid	200	1000	<LOQ	Pass	Thiamethoxam	150	200	<LOQ	Pass
Fludioxonil	200	400	<LOQ	Pass	Trifloxystrobin	100	200	<LOQ	Pass
Hexythiazox	200	1000	<LOQ	Pass					

Method: Modified AOAC 2007.01, Triple Quad analysis; LOQ = Limit of Quantification; PPB = Parts Per Billion; ND = Not Detected; NR = Not Reported; ORELAP ID 4057



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Douglas Duncan
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
3 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
537 HPLC3 20190923-1	PMB09171903F	Cannabinoids	Blank

QC Notes

None

Compounds	Blank Result	Blank Max % (LOQ)	Blank Result %	Notes
THCa	0	0.05	<LOQ	-
Δ9-THC	0	0.05	<LOQ	-
CBDa	0	0.05	<LOQ	-
CBD	0	0.05	<LOQ	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
4 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
537 HPLC3 20190923-1	PLCS09171903F	Cannabinoids	Lab Control Sample

QC Notes
None

Compounds	LCS Result (%)	LCS Spike	LCS % Rec	% Limits	Notes
THCa	4.3	4.56	94.3	70 - 130	-
Δ^9 -THC	3.88	4.21	92.16	70 - 130	-
CBDa	4.38	4.62	94.81	70 - 130	-
CBD	4.21	4.39	95.9	57 - 143	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
5 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
537 HPLC3 20190923-1	PMS09171903F	Cannabinoids	Spike

QC Notes

None

Compounds	LOQ	Matrix Duplicate % RPD	Duplicate RPD Notes	Matrix Spike % Rec	% Limits	Notes
THCa	0.04	0.76	<20	10	70 - 130	Below Limit Range
Δ9-THC	0.04	3	<20	77	70 - 130	-
CBDa	0.04	11.76	<20	93	70 - 130	-
CBD	0.04	<LOQ	<LOQ	102	70 - 130	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
6 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
451 GCQQQ1 20190923-2	PMB09171903F GC	Required Pesticides	Blank

QC Notes

None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Chlorfenapyr	400	<LOQ	-
Cyfluthrin	400	<LOQ	-
Cypermethrin	400	<LOQ	-
Fipronil	100	<LOQ	-
Fludioxonil	200	<LOQ	-
MGK-264	100	<LOQ	-
Methyl Parathion	100	<LOQ	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
7 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRMB09171903F	Required Pesticides	Blank

QC Notes

None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Acephate	100	<LOQ	
Acequinocyl	750	<LOQ	
Acetamiprid	100	<LOQ	
Aldicarb	300	<LOQ	
Abamectin	400	<LOQ	
Azoxystrobin	100	<LOQ	
Bifenazate	100	<LOQ	
Bifenthrin	100	<LOQ	
Boscalid	200	<LOQ	
Carbaryl	100	<LOQ	
Carbofuran	100	<LOQ	
Chlorantraniliprole	100	<LOQ	
Chlorpyrifos	150	<LOQ	
Clofentezine	100	<LOQ	
Daminozide	400	<LOQ	
Diazinon	100	<LOQ	
Dichlorvos	150	<LOQ	
Dimethoate	100	<LOQ	
Ethoprophos	100	<LOQ	
Etofenprox	200	<LOQ	
Etoxazole	100	<LOQ	
Fenoxycarb	100	<LOQ	
Fenpyroximate	200	<LOQ	
Flonicamid	200	<LOQ	
Hexythiazox	200	<LOQ	
Imazalil	100	<LOQ	
Imidacloprid	100	<LOQ	
Kresoxim Methyl	100	<LOQ	
Malathion	100	<LOQ	
Metalaxyl	100	<LOQ	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
8 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRMB09171903F	Required Pesticides	Blank

QC Notes

None

Compounds	LOQ (PPB)	Blank Result PPB	Notes
Methiocarb	100	<LOQ	
Methomyl	100	<LOQ	
Myclobutanil	100	<LOQ	
Naled	100	<LOQ	
Oxamyl	100	<LOQ	
Paclobutrazol	100	<LOQ	
Permethrin	150	<LOQ	
Phosmet	100	<LOQ	
Piperonyl Butoxide	100	<LOQ	
Prallethrin	150	<LOQ	
Propiconazole	200	<LOQ	
Propoxur	100	<LOQ	
Pyrethrins	400	<LOQ	
Pyridaben	100	<LOQ	
Spinosad	100	<LOQ	
Spiromesifen	100	<LOQ	
Spirotetramat	100	<LOQ	
Spiroxamine	150	<LOQ	
Tebuconazole	100	<LOQ	
Thiacloprid	100	<LOQ	
Thiamethoxam	150	<LOQ	
Trifloxystrobin	100	<LOQ	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
9 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
451 GCQQQ1 20190923-2	PLCS09171903F GC	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	% Limits	Notes
Chlorfenapyr	107	69 - 132	-
Cyfluthrin	104	68 - 136	-
Cypermethrin	101	67 - 134	-
Fipronil	102	67 - 136	-
Fludioxonil	101	69 - 139	-
MGK-264	106	65 - 145	-
Parathion Methyl	107	66 - 131	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
10 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRLCS09171903F	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	LCS % Limits	Notes
Acephate	101.56	56 - 149	-
Acequinocyl	84.41	30 - 142	-
Acetamiprid	105.17	56 - 149	-
Aldicarb	103.78	53 - 150	-
Abamectin	84.92	30 - 140	-
Azoxystrobin	109.44	55 - 138	-
Bifenazate	105.2	53 - 137	-
Bifenthrin	111.2	30 - 150	-
Boscalid	114	55 - 142	-
Carbaryl	110.28	56 - 150	-
Carbofuran	107.42	57 - 142	-
Chlorantraniliprole	109.86	54 - 141	-
Chlorpyrifos	104.9	34 - 150	-
Clofentezine	108.32	44 - 150	-
Daminozide	69.49	30 - 150	-
Diazinon	111.38	55 - 134	-
Dichlorvos	80.67	49 - 149	-
Dimethoate	100.8	56 - 149	-
Ethoprophos	101.33	52 - 143	-
Etofenprox	96.97	46 - 140	-
Etoxazole	101.26	50 - 134	-
Fenoxycarb	105.89	53 - 139	-
Fenproximate	96.55	45 - 127	-
Flonicamid	98.28	55 - 145	-
Hexythiazox	104.77	39 - 141	-
Imazalil	112.51	40 - 149	-
Imidacloprid	103.92	54 - 150	-
Kresoxim Methyl	104.31	57 - 139	-
Malathion	103.12	51 - 147	-
Metalaxyl	104.38	58 - 142	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
11 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRLCS09171903F	Required Pesticides	Lab Control Sample

QC Notes

None

Compounds	LCS % Rec	LCS % Limits	Notes
Methiocarb	108.89	50 - 150	-
Methomyl	103.39	55 - 150	-
Myclobutanil	103.06	54 - 145	-
Naled	124.54	49 - 146	-
Oxamyl	103.42	56 - 147	-
Paclobutrazol	101.57	56 - 139	-
Permethrin	104.29	30 - 138	-
Phosmet	107.73	57 - 146	-
Piperonyl Butoxide	105.04	48 - 146	-
Prallethrin	102.51	53 - 146	-
Propiconazole	93.85	49 - 129	-
Propoxur	106.94	56 - 150	-
Pyrethrins	97.16	30 - 150	-
Pyridaben	97.58	50 - 132	-
Spinosad	78.3	30 - 150	-
Spiromesifen	104.98	52 - 136	-
Spirotetramat	102.71	46 - 150	-
Spiroxamine	84.48	30 - 150	-
Tebuconazole	99.1	48 - 136	-
Thiacloprid	106.41	47 - 150	-
Thiamethoxam	104.04	57 - 147	-
Trifloxystrobin	107.16	46 - 147	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
12 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
451 GCQQQ1 20190923-2	PMS09171903F GC	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Chlorfenapyr	2.93	20	<20	111.6	62 - 130	
Cyfluthrin	6.07	20	<20	103.2	63 - 128	
Cypermethrin	1.36	20	<20	104.9	58 - 126	
Fipronil	0.61	20	<20	105.65	62 - 134	
Fludioxonil	1.2	20	<20	99.98	62 - 139	
MGK-264	3.11	20	<20	104.87	56 - 150	
Methyl Parathion	4.98	20	<20	105.28	63 - 135	



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
13 of 14

Western Oregon Botanicals

Sample: 1909CH0478.1667

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRMS09171903F	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Acephate	1.5	30	<30	106.18	52 - 150	-
Acequinocyl	6.4	30	<30	81.73	30 - 147	-
Acetamiprid	2.18	30	<30	109.96	47 - 148	-
Aldicarb	0.05	30	<30	108.75	48 - 145	-
Abamectin	3.19	30	<30	82.1	41 - 150	-
Azoxystrobin	2.85	30	<30	114	50 - 150	-
Bifenazate	2.42	30	<30	109.71	50 - 150	-
Bifenthrin	1.3	30	<30	108.96	46 - 150	-
Boscalid	4.68	30	<30	112.98	50 - 150	-
Carbaryl	2.93	30	<30	114.01	57 - 150	-
Carbofuran	2.2	30	<30	113.03	51 - 150	-
Chlorantraniliprole	1.56	30	<30	113.26	52 - 150	-
Chlorpyrifos	3.44	30	<30	62.42	30 - 150	-
Clofentezine	5.1	30	<30	84.03	53 - 146	-
Daminozide	1.2	30	<30	63.62	30 - 150	-
Diazinon	2.75	30	<30	113.55	41 - 145	-
Dichlorvos	2.83	30	<30	83.54	54 - 141	-
Dimethoate	1.73	30	<30	104.2	49 - 149	-
Ethoprophos	0.49	30	<30	94.29	47 - 146	-
Etofenprox	1.34	30	<30	93.62	38 - 150	-
Etoxazole	2.92	30	<30	119.64	34 - 150	-
Fenoxycarb	1.28	30	<30	102.48	54 - 150	-
Fenpyroximate	1.43	30	<30	99.47	34 - 150	-
Flonicamid	4.55	30	<30	115.68	45 - 143	-
Hexythiazox	2.48	30	<30	56.27	30 - 150	-
Imazalil	1.37	30	<30	119.36	30 - 147	-
Imidacloprid	2.86	30	<30	108.18	43 - 148	-
Kresoxim Methyl	0.63	30	<30	105.34	56 - 144	-
Malathion	2.98	30	<30	109.36	55 - 150	-
Metalaxyl	0.57	30	<30	111.54	50 - 150	-



5691 SE International Way B
Portland, OR
(503) 305-5252
<http://chemhistory.com>
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.



Certificate of Analysis

Powered by Confident Cannabis
14 of 14

Western Oregon Botanicals

Sherwood, OR 97140
abdullah.naimi@yahoo.com
(208) 989-3449
Lic. #020-10021071D94

Sample: 1909CH0478.1667

Strain: Strawberry Diesel
Batch#: 1; Batch Size: 2270 g
Sample Received: 09/17/2019; Report Created: 09/25/2019; Expires: 09/25/2020
Harvest/Production Date: 08/21/2019
Sampling: Random; Environment: Room Temp

Strawberry Diesel

Plant, Flower - Cured, Indoor
Harvest Process Lot: 2019-08-21; METRC Batch: 1A40103000098BF000001925; METRC Sample: 1A40103000098BF000001928



Quality Control Data

Analytical Batch ID	QC Sample ID	Assay Name	QC Category Name
644 LCQQQ3 20190923-2	MRMS09171903F	Required Pesticides	Spike

QC Notes

None

Compounds	Matrix Spike Duplicate % RPD	RPD Max %	% RPD Result	Matrix Spike % Rec	% Limits	Notes
Methiocarb	3.41	30	<30	110.55	50 - 150	-
Methomyl	2	30	<30	108.69	42 - 150	-
Myclobutanil	1.02	30	<30	110.32	43 - 150	-
Naled	2.23	30	<30	133.42	46 - 150	-
Oxamyl	2.15	30	<30	108.25	41 - 150	-
Paclobutrazol	0.96	30	<30	107.01	47 - 150	-
Permethrin	1.53	30	<30	166.94	37 - 150	Above Limit Range
Phosmet	5.98	30	<30	109.94	35 - 150	-
Piperonyl Butoxide	2.83	30	<30	70.64	30 - 149	-
Prallethrin	4.43	30	<30	110.75	46 - 150	-
Propiconazole	2.17	30	<30	99.07	40 - 150	-
Propoxur	1.75	30	<30	111.03	53 - 150	-
Pyrethrins	1.7	30	<30	93.87	30 - 150	-
Pyridaben	0.54	30	<30	106.07	41 - 150	-
Spinosad	4.12	30	<30	87.22	30 - 150	-
Spiromesifen	4.96	30	<30	100.98	43 - 150	-
Spirotetramat	2.73	30	<30	121.57	48 - 150	-
Spiroxamine	2.1	30	<30	93.79	30 - 143	-
Tebuconazole	3.92	30	<30	95.66	45 - 150	-
Thiacloprid	2.43	30	<30	110.64	50 - 147	-
Thiamethoxam	2.48	30	<30	107.58	40 - 147	-
Trifloxystrobin	2.51	30	<30	115.54	50 - 150	-



5691 SE International Way B
Portland, OR
(503) 305-5252
http://chemhistory.com
Lic# OLCC 010-1002015CA5E ORELAP 4057

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Values reported relate only to the product tested. ChemHistory makes no claims as to the consumer safety or other risks associated with any detected or non-detected levels of any pesticides or residual solvents. This Certificate shall not be reproduced except in full, without the written approval of ChemHistory. ORELAP accredited ID#4057 and OLCC Licensed Cannabis Testing Laboratory #010-1002015CA5E.